


SHADY SPECIFICATIONS


design by Kris Van Puyvelde

SHADY	Ref: SHA...
	0,20 m³ - BASE NOT INCLUDED
	TEAK POLE + TEAK RIBS
	70-71, 98-99, 166-167, 174-175



	TEAK POLE TK	TEAK RIBS TK		A (cm/")
 Ø 3,5	SHA 35 TK ...*		23,7 kg 54.6 Lbs	85 33"
 Ø 4,5	SHA 45 TK ...*		29,2 kg 67.2 Lbs	34 13"
 3,0 x 3,0	SHA 30V TK ...*		22,2 kg 50.0 Lbs	56 22"
 3,5 x 3,5	SHA 35V TK ...*		23,5 kg 53.5 Lbs	12 5"
 3 x 4	SHA 40R TK ...*		26,9 kg 64.1 Lbs	10 4"

* COVER COLOURS TEXTILE							
							
... WU	... EU	... BU	... ROU	... MU	... CAU	... FOU	... ZU



SHADY SPECIFICATIONS


design by Kris Van Puyvelde

SHADY	Ref: SHA ...
	0,20 m³ - BASE NOT INCLUDED
	STAINLESS STEEL POLE + TEAK RIBS



		STAINLESS STEEL POLE + TEAK RIBS		EP STAINLESS STEEL POLE + TEAK RIBS			A (cm/")
			TK		TK		
	Ø 3,5	SHA 35 ...*	SHA 35 EP ...*			24,8 kg 54,6 Lbs	85 33"
	Ø 4,5	SHA 45 ...*	SHA 45 EP ...*			30,5 kg 67,2 Lbs	34 13"
	3,0 x 3,0	SHA 30V ...*	SHA 30V EP ...*			23,6 kg 52,0 Lbs	56 22"
	3,5 x 3,5	SHA 35V ...*	SHA 35V EP ...*			24,3 kg 53,5 Lbs	12 5"
	3 x 4	SHA 40R ...*	SHA 40R EP ...*			29,1 kg 64,1 Lbs	10 4"

* COVER COLOURS TEXTILE							
							
... WU	... EU	... BU	... ROU	... MU	... CAU	... FOU	... ZU



SHADY SPECIFICATIONS

design by Kris Van Puyvelde

SHADY	Ref: SHA...
	0,20 m³ - BASE NOT INCLUDED
	STAINLESS STEEL POLE + COATED ALUMINIUM RIBS



Aluminium coated ribs, easily exchangeable

Hub in coated teak

Cover solution dyed acrylic fibre 300 gr/m², including cover bag

Stainless steel crown rings, pulleys and fittings


Stainless steel pole Ø 60 mm

* COVER COLOURS TEXTILE					
COVER	RIBS	COVER	RIBS	COVER	RIBS
					
*W		*C		*B	
** COVER COLOURS BATYLINE					
COVER	RIBS	COVER	RIBS	COVER	RIBS
					
**W		**C		**B	



		BRUSHED POLE + COATED ALU RIBS		EP POLE + COATED ALU RIBS			A (cm/")
			*		*		
* TEXTILE	 Ø 3,5	SHA 35 ...*		SHA 35 EP ...*		24,8 Kg 54,6 Lbs	85 33"
	 Ø 4,5	SHA 45 ...*		SHA 45 EP ...*		30,7 Kg 67,6 Lbs	34 13"
	 3,0 x 3,0	SHA 30V ...*		SHA 30V EP ...*		25,9 Kg 57,0 Lbs	56 22"
	 3,5 x 3,5	SHA 35V ...*		SHA 35V EP ...*		24,5 Kg 54,0 Lbs	12 5"
	 3 x 4	SHA 40R ...*		SHA 40R EP ...*		29,6 Kg 65,2 Lbs	10 4"
* BATYLINE	 Ø 3,5	SHA 35 T ...**		SHA 35 EPT ...**		24,8 Kg 54,6 Lbs	85 33"
	 Ø 4,5	SHA 45 T ...**		SHA 45 EPT ...**		30,7 Kg 67,6 Lbs	34 13"
	 3,0 x 3,0	SHA 30V T ...**		SHA 30V EPT ...**		25,9 Kg 57,0 Lbs	56 22"
	 3,5 x 3,5	SHA 35V T ...**		SHA 35V EPT ...**		24,5 Kg 54,0 Lbs	12 5"
	 3 x 4	SHA 40R T ...**		SHA 40R EPT ...**		29,6 Kg 65,2 Lbs	10 4"

268 / 106"



SHADY SPECIFICATIONS

design by Kris Van Puyvelde

SHADY	Ref: SHA...
	0,20 m³ - BASE NOT INCLUDED
	COATED ALUMINIUM POLE + COATED ALUMINIUM RIBS




* COVER COLOURS TEXTILE					
COVER	RIBS	COVER	RIBS	COVER	RIBS
					
* WW		* CC		* BB	

** COVER COLOURS BATYLINE					
COVER	RIBS	COVER	RIBS	COVER	RIBS
					
** WW		** CC		** BB	



		BRUSHED POLE + COATED ALU RIBS			A (cm/")
		*	*		
* TEXTILE	 Ø 3,5	SHA 35 EP...*		24,9 Kg 54,7 Lbs	85 33"
	 Ø 4,5	SHA 45 EP...*		30,7 Kg 67,7 Lbs	34 13"
	 3,0 x 3,0	SHA 30V EP...*		25,8 Kg 57,0 Lbs	56 22"
	 3,5 x 3,5	SHA 35V EP...*		24,4 Kg 54,0 Lbs	12 5"
	 3 x 4	SHA 40R EP...*		29,4 Kg 65,3 Lbs	10 4"
		BRUSHED POLE + COATED ALU RIBS			A (cm/")
		*	*		
* BATYLINE		SHA 35 EPT...**			
		SHA 45 EPT...**			
		SHA 30V EPT...**			
		SHA 35V EPT...**			
		SHA 40R EPT...**			

268 / 106"



SHADY X-CENTRIC SPECIFICATIONS

design by Kris Van Puyvelde

SHADY X-CENTRIC		Ref: SHAX...
	0,20 m³ - STANDARD GRANITE BASE - OPTIONAL MOBILE BASE - ref: MOB X	
	STAINLESS STEEL POLE AND TEAK RIBS	




		STAINLESS STEEL POLE + TEAK RIBS	EP STAINLESS STEEL POLE + TEAK RIBS	
				
TEXTILE	 Ø 4,0	SHAX 40 ... •	SHAX 40 EP ...* •	
	 3 x 4	SHAX 40R ...* •	SHAX 40R EP ...* •	
				28,0 Kg 61,7 Lbs
				31,0 Kg 68,3 Lbs

* COVER COLOURS TEXTILE							
							
... WU	... EU	... BU	... ROU	... MU	... CAU	... FOU	... ZU

SHADY X-CENTRIC SPECIFICATIONS

design by Kris Van Puyvelde

SHADY X-CENTRIC		Ref: SHAX...
📏	0,20 m³ - STANDARD GRANITE BASE - OPTIONAL MOBILE BASE - ref: MOB X	
i	UMBRELLA WITH STAINLESS STEEL POLE AND COATED ALUMINIUM RIBS	



		COATED ALU. + STAINLES STEEL		COATED ALU. + EP STAINLES STEEL				COATED ALU. + STAINLES STEEL		COATED ALU. + EP STAINLES STEEL		
	Ø 4,0		SHAX 40 WW	SHAX 40 EPWW				SHAX 40 CC	SHAX 40 EPCC			28,0 Kg 61,7 Lbs
	3 x 4		SHAX 40R WW	SHAX 40R EPWW				SHAX 40R CC	SHAX 40R EPCC			31,0 Kg 68,3 Lbs
	Ø 4,0		SHAX 40 TWW	SHAX 40 EPTWW				SHAX 40 TCC	SHAX 40 EPTCC			28,0 Kg 61,7 Lbs
	3 x 4		SHAX 40R TWW	SHAX 40R EPTWW				SHAX 40R TCC	SHAX 40R EPTCC			31,0 Kg 68,3 Lbs