


SHADY SPECIFICATIONS

Design by Kris Van Puyvelde



SHADY	
REF:	SHA...
INFO:	COVERBAG INCLUDED
	BASE & TUBE NOT INCLUDED
	ALL BASE COMBINATIONS SEE PP. 398-399
	OPTIONAL MOBILE BASE (MOB 65)

	WEIGHT	A (cm/")
Ø 3,5	23,7 kg 54.6 Lbs	85 33"
Ø 4,5	29,2 kg 67.2 Lbs	34 13"
3,0 x 3,0	22,2 kg 50.0 Lbs	56 22"
3,5 x 3,5	23,5 kg 53.5 Lbs	12 5"
3 x 4	26,9 kg 64.1 Lbs	10 4"




		TEAK POLE + TEAK RIBS	
		W	
	Ø 3,5	SHA 35 TK...	
		•	
	Ø 4,5	SHA 45 TK...	
		•	
	3 x 3	SHA 30V TK...	
		•	
	3,5 x 3,5	SHA 35V TK...	
		•	
	3 x 4	SHA 40R TK...	
		•	
TEXTILE COLOURS			
			
			
...WU	...EU	...BU	...ROU
...MU	...CAU	...FOU	...ZU





SHADY	
REF:	SHA...
INFO:	COVERBAG INCLUDED BASE & TUBE NOT INCLUDED ALL BASE COMBINATIONS SEE PP. 398-399 OPTIONAL MOBILE BASE (MOB 65)

	WEIGHT	A (cm/")
Ø 3,5	23,7 kg 54.6 Lbs	85 33"
Ø 4,5	29,2 kg 67.2 Lbs	34 13"
3 x 3	22,2 kg 50.0 Lbs	56 22"
3,5 x 3,5	23,5 kg 53.5 Lbs	12 5"
3 x 4	26,9 kg 64.1 Lbs	10 4"



		STAINLESS STEEL POLE + TEAK RIBS		EP STAINLESS STEEL POLE + TEAK RIBS			
		SS	W	EP	W		
	Ø 3	SHA 30 ... *		SHA 30 EP ... *			
	Ø 3,5	SHA 35 ...		SHA 35 EP ...			
	Ø 4,5	SHA 45 ...		SHA 45 EP ...			
	3 x 3	SHA 30V ...		SHA 30V EP ...			
	3,5 x 3,5	SHA 35V ...		SHA 35V EP ...			
	3 x 4	SHA 40R ...		SHA 40R EP ...			
TEXTILE COLOURS							
							
... WU	... EU	... BU	... ROU	... MU	... CAU	... FOU	... ZU

PARASOL TUBES & BASES SPECIFICATIONS

TECHNICALLY ALL PARASOL TUBE & BASE COMBINATIONS ARE POSSIBLE.
HOWEVER WE RECOMMEND USING COATED TUBES WITH COATED BASES AND STAINLESS STEEL TUBES WITH STAINLESS STEEL OR GRANITE BASES.


COATED STAINLESS STEEL TUBE (SLIM)	
REF:	CEY T 60...
INFO:	TIGHTENING MECHANISM ONLY FOR SHADY SLIM




COATED STAINLESS STEEL TUBE	
REF:	CEY T 73...
INFO:	TIGHTENING MECHANISM




COATED METALIZED STEEL BASE	
REF:	CEY V 75RSC...
WEIGHT:	41,5 kg / 91,5 Lbs



COATED METALIZED STEEL BASE	
REF:	CEY V 70SC...
WEIGHT:	40 kg / 88,18 Lbs



COATED METALIZED STEEL BASE	
REF:	CEY V 100SC...
WEIGHT:	74 kg / 163 Lbs



COATED STAINLESS STEEL		
WR	S	A
CEY T 60 WR	CEY T 60 S	CEY T 60 A
•	•	•

COATED STAINLESS STEEL		
WR	S	A
CEY T 73 WR	CEY T 73 S	CEY T 73 A
•	•	•

COATED METALIZED STEEL		
WR	S	A
CEY V 75RSC WR	CEY V 75RSC S	CEY V 75RSC A
•	•	•
OPTIONAL WHEELSET (SS)		
CEY V WS		
•		

COATED METALIZED STEEL		
WR	S	A
CEY V 70SC WR	CEY V 70SC S	CEY V 70SC A
•	•	•
OPTIONAL WHEELSET (SS)		
CEY V WS		
•		

COATED METALIZED STEEL		
WR	S	A
CEY V 100SC WR	CEY V 100SC S	CEY V 100SC A
•	•	•
OPTIONAL WHEELSET (SS)		
CEY V WS		
•		

PARASOL TUBES & BASES SPECIFICATIONS

TECHNICALLY ALL PARASOL TUBE & BASE COMBINATIONS ARE POSSIBLE.
HOWEVER WE RECOMMEND USING COATED TUBES WITH COATED BASES AND STAINLESS STEEL TUBES WITH STAINLESS STEEL OR GRANITE BASES.


STAINLESS STEEL TUBE	
REF:	CEY T 65 IP...




LONG STAINLESS STEEL TUBE	
REF:	CEY T 65 IPL...
INFO:	FOR BAR TABLES



STAINLESS STEEL BASE	
REF:	CEY V 70 IP...
WEIGHT:	34 kg / 75 Lbs




GRANITE BASE	
REF:	CEY V 70 HBP
WEIGHT:	75 kg / 165 Lbs



GRANITE BASE	
REF:	CEY V 70 RBP
WEIGHT:	51 kg / 112 Lbs



MOBY BASE	
REF:	MOB 65...
WEIGHT:	23 kg / 50,7 Lbs + BALLAST
INFO:	BRUSHED STAINLESS STEEL BODY WHEELS AND DETACHABLE HANDLE FOR MOVING AROUND ON THE TERRACE TO BE FILLED WITH GRAVEL FOR ADDED WEIGHT POLISHED STAINLESS STEEL TUBE INCLUDED



STANDARD / ON REQUEST

STAINLESS STEEL	
SS	EP
CEY T 65 IP •	CEY T 65 IPEP •

STAINLESS STEEL	
SS	EP
CEY T 65 IPL •	CEY T 65 IPLEP •

STAINLESS STEEL	
SS	EP
CEY V 70 IP •	CEY V 70 IPEP •
OPTIONAL WHEELSET (SS) CEY V W •	

GRANITE	
CEY V 70 HBP •	
OPTIONAL WHEELSET (SS) CEY V X HEP •	

GRANITE	
CEY V 70 RBP •	

STAINLESS STEEL	
SS	EP
MOB 65 •	MOB 65 EP •

TEAK & MAHOGANY


AS ROYAL BOTANIA NEVER COMPROMISES ON QUALITY, ONLY CAREFULLY SELECTED MATURE TEAKWOOD IS USED IN OUR PRODUCTS. ALL OF IT HARVESTED IN STRICT ACCORDANCE WITH OUR ENVIRONMENTAL POLICIES. TEAK WOOD'S RENOWNED DURABILITY IS DUE TO ITS HIGH CONTENT OF NATURAL OILS. THE LIMITED ABSORPTION OF MOISTURE PROTECTS THE WOOD FROM WARPING AND GIVES IT ENORMOUS STABILITY. IN ADDITION, TEAK IS HIGHLY RESISTANT TO ATTACKS BY PESTS. IT IS BECAUSE OF THESE QUALITIES, AS WELL AS ITS EXCEPTIONALLY ATTRACTIVE HUE AND STRUCTURE, THAT TEAK IS WIDELY CONSIDERED "THE NOBLEST OF ALL WOOD TYPES".

MAHOGANY IS A HARDWOOD WITH A REDDISH COLOUR THAT IS WIDELY USED FOR BOAT BUILDING, AS WELL AS FURNITURE MANUFACTURING.

TEAK
REF: W



OILED MAHOGANY
REF: MHOT




STAINLESS STEEL

STAINLESS STEEL IS A FERROUS ALLOY WITH INCREASED CORROSION RESISTANCE DUE TO THE ADDITION OF CHROME AND NICKEL. CHLORINE, THE GREATEST ENEMY OF STAINLESS STEEL, CAN CAUSE A TYPE OF CORROSION KNOWN AS "PITTING". FOR THIS REASON, IT IS RECOMMENDED THAT IN COASTAL LOCATIONS THE METAL BE GIVEN AN ELECTROPOLISHING TREATMENT, IN ORDER TO FURTHER INCREASE ITS RESISTANCE TO CORROSION. THE FURNITURE FRAMES OF THE WAVE IS SUPPLIED WITH AN ELECTROPOLISHED FINISH AS STANDARD.

FOR THE NINIX, O-ZON, QT & TABOELA RANGES WE RECOMMEND THE OPTIONAL ELECTROPOLISHING TREATMENT OF THE FRAME IF IT IS TO BE USED IN A CORROSIVE ENVIRONMENT.




BRUSHED STAINLESS STEEL
REF: SS



ELECTROPOLISHED STAINLESS STEEL
REF: EP



POWDER COATING COLOURS



FIBER

OLEFIN FIBER IS A SYNTHETIC FIBER MADE FROM POLYPROPYLENE. THE ADVANTAGE OF THIS FIBER IS ITS STRENGTH, COLOUR FASTNESS AND COMFORT. ALSO IT IS VERY RESISTANT TO STAINING AND DIFFERENT WEATHER CONDITIONS.



CERAMIC

THE CERAMIC TOPS ARE MADE FROM NATURAL CLAYS, SO SMALL COLOUR GRADATIONS CAN OCCUR. THIS MAKES EACH TABLE UNIQUE.

WHITE
REF: WUM



CEMENTO LUMINOSO
REF: CL



PEARL GREY
REF: PG




NERO MARQUINA
REF: NM



BIANCO STATUARIO
REF: BS



TRAVERTINO
REF: TR



TAUPE GREY
REF: TG



BLACK
REF: ZUM



CEPPO DOLOMITICA
REF: CD



TERRA SABBIA
REF: TS



TERRA MARRONE
REF: TM



CONCRETE

WE USE AN ULTRA-HIGH PERFORMANCE CONCRETE REINFORCED BY NATURAL MINERAL COMPONENTS AND ORGANIC FIBERS. THANKS TO ITS DISCONTINUOUS PORE STRUCTURE AND CRACK-BRIDGING FIBERS, IT IS VIRTUALLY IMPERVIOUS. PENETRATION OF CHLORIDE IONS IS ALSO SIGNIFICANTLY REDUCED AND THUS PERFORMS EXCEPTIONALLY WELL IN HIGHLY CORROSIVE ENVIRONMENTS SUCH AS NEAR BEACHES.

CEMENT GREY
REF: CG



ENAMELED LAVA STONES

LAVA STONES WITH A VITREOUS ENAMEL COATING. FUSED AT 850°C THE ENAMEL BECOMES VERY HARD AND EXTREMELY RESISTANT TO ALL WEATHER CONDITIONS.

PEARL
REF: PE




MOON
REF: MO



LAVA
REF: LA



SLATE
REF: SL



JADE
REF: JA



DUSK
REF: DU




CATEGORY A FABRICS ACRYLIC


WHITE
REF: ...WU - CAT.: A - ACRYLIC



COCONUT
REF: ...CC - CAT.: A - ACRYLIC




CAPPUCCINO
REF: ...CAU - CAT.: A - ACRYLIC



ROCK
REF: ...ROU - CAT.: A - ACRYLIC




ECRU
REF: ...EU - CAT.: A - ACRYLIC




NAVY BLUE
REF: ...NBU - CAT.: A - ACRYLIC



ROSE
REF: ...RO - CAT.: A - ACRYLIC



TERRA
REF: ...TER - CAT.: A - ACRYLIC




BLACK
REF: ...ZU - CAT.: A - ACRYLIC




CHOCOLAT LINEN
REF: ...CHL - CAT.: A - ACRYLIC









SAGE LINEN
REF: ...SL - CAT.: A - ACRYLIC






FROST LINEN
REF: ...FL - CAT.: A - ACRYLIC





CATEGORY B FABRICS ACRYLIC & POLYPROPYLENE



CATEGORY B FABRICS ACRYLIC & POLYPROPYLENE



CATEGORY B/C LAMINATED FABRICS ACRYLIC




CATEGORY C FABRICS ACRYLIC & POLYPROPYLENE

PASTEL SAND
REF: ...PAS - CAT.: C - ACRYLIC



PASTEL BLUE
REF: ...PAB - CAT.: C - ACRYLIC




PASTEL YELLOW
REF: ...PAY - CAT.: C - ACRYLIC



PASTEL COCONUT
REF: ...PAC - CAT.: C - ACRYLIC




PASTEL GREEN
REF: ...PAG - CAT.: C - ACRYLIC



PASTEL ORANGE
REF: ...PAO - CAT.: C - ACRYLIC



PASTEL RED
REF: ...PAR - CAT.: C - ACRYLIC



MOSS
REF: ...MOS - CAT.: C - POLYPROPYLENE



BOUCLE SAND
REF: ...BOS - CAT.: C - POLYPROPYLENE



BOUCLE WHITE
REF: ...BOW - CAT.: C - POLYPROPYLENE



BOUCLE GREY
REF: ...BOG - CAT.: C - POLYPROPYLENE



BOUCLE BLUE
REF: ...BOB - CAT.: C - POLYPROPYLENE



ECRU LINEN
REF: ...EUL - CAT.: C - ACRYLIC



JUNIPER GREEN
REF: ...JG - CAT.: C - ACRYLIC



AUBERGINE MESH
REF: ...AUM - CAT.: C - ACRYLIC



NIGHT BLUE
REF: ...NB - CAT.: C - ACRYLIC



CATEGORY C FABRICS ACRYLIC & POLYPROPYLENE

VANILLE VELVET
REF: ...VAV - CAT.: C - ACRYLIC



ECRU VELVET
REF: ...EUV - CAT.: C - ACRYLIC



SALMON VELVET
REF: ...SAV - CAT.: C - ACRYLIC




SAFFRON VELVET
REF: ...SFV - CAT.: C - ACRYLIC



DARK BROWN VELVET
REF: ...DBV - CAT.: C - ACRYLIC



TERRA VELVET
REF: ...TEV - CAT.: C - ACRYLIC



AUBERGINE VELVET
REF: ...AUV - CAT.: C - ACRYLIC



ICE BLUE VELVET
REF: ...IBV - CAT.: C - ACRYLIC



SILVER VELVET
REF: ...SIV - CAT.: C - ACRYLIC



IRON GREY VELVET
REF: ...IGV - CAT.: C - ACRYLIC



ORANGE CHEVRON
REF: ...ORC - CAT.: C - POLYPROPYLENE



OLD ROSE
REF: ...OLR - CAT.: C - POLYPROPYLENE



LIGHT BOUCLE WHITE
REF: ...LBW - CAT.: C - POLYPROPYLENE



LIGHT BOUCLE SAND
REF: ...LBS - CAT.: C - ACRYLIC





LIGHT BOUCLE GREY
REF: ...LBG - CAT.: C - POLYPROPYLENE



GREY MESH
REF: ...GM - CAT.: C - ACRYLIC




CATEGORY C FABRICS ACRYLIC & POLYPROPYLENE



CATEGORY C FABRICS POLYSKIN

ONLY AVAILABLE FOR STRAPPY, STYLETTO & OSTREA COLLECTION!
POLYSKIN IS A SYNTHETIC ALL WEATHER LEATHER IMITATION THAT IS EXTREMELY UV AND WATER RESISTANT.



BATYLINE

THE SLINGS ON METAL FRAMED CHAIRS AND LOUNGERS ARE MADE OF BATYLINE® FABRICS, A WOVEN POLYESTER FIBER PROTECTED BY A PVC COATING. THIS COATING GUARANTEES EXCEPTIONAL RESISTANCE TO CLIMATIC CONDITIONS AND UV EXPOSURE. THE FACT THAT THERE IS NO MOISTURE ABSORPTION RESULTS IN QUICK-DRYING, LITTLE SENSITIVITY TO STAINING AND EASY CLEANING.


WHITE
REF: ...WU




WHITE (FOR NNX(L) - OZN - WV)
REF: ...WUC




PEARL GREY
REF: ...PG




CAPPUCCINO
REF: ...CAU




BLACK
REF: ...ZU




BLACK (FOR NNX(L) - OZN - WV)
REF: ...ZUC




GRAPHITE
REF: ...GRP




BROWN
REF: ...BRU




ECRU
REF: ...EU



TURQUOISE
REF: ...TQF



ORANGE
REF: ...ORU



PARASOL FABRICS

FOR OUR SHADY AND BLOOM PARASOL WE USE A THICKER FABRIC WITH A SPECIAL COATING TO FURTHER PROTECT THEM FROM THE ELEMENTS.

WHITE
REF: ...WU - CAT.: A - ACRYLIC




BLACK
REF: ...ZU - CAT.: A - ACRYLIC



CAPPUCCINO
REF: ...CAU - CAT.: A - ACRYLIC



ECRU
REF: ...EU - CAT.: A - ACRYLIC




BLUE
REF: ...BU - CAT.: C - ACRYLIC



FONDANT
REF: ...FOU - CAT.: A - ACRYLIC



MOKKA
REF: ...MU - CAT.: A - ACRYLIC



ROCK
REF: ...ROU - CAT.: A - ACRYLIC




PARASOL BATYLINE

THE BATYLINE FOR OUR OAZZ IS WOVEN THIGHT AND GIVEN A COATING TO FURTHER PROTECT THEM FROM THE ELEMENTS.

WHITE
REF: ...WU



CAPPUCCINO
REF: ...CAU



BLACK
REF: ...ZU

